

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

APPENDIX A

WO 98/13456 A1

WO 98-13456

Translated from German by the Ralph McElroy Translation Company
910 West Avenue, Austin, Texas 78701 USA

1

Code: 1505-72663

INTERNATIONAL PATENT OFFICE
WORLD ORGANIZATION FOR INTELLECTUAL PROPERTY
International patent published on
the basis of the Patent Cooperation Treaty (PCT)
INTERNATIONAL PUBLICATION NO. WO 98/13456 A1

International Patent Classification⁶: C 11 D 3/22
1/62

International Application No.: PCT/EP97/05092

International Application Date: September 17, 1997

International Publication Date: April 2, 1998

Priority

 Date: September 26, 1996

 Country: DE

 No.: 196 39 602.9

WASHING OR LAUNDERING POST-TREATMENT AGENTS

Applicant: HENKEL-ECOLAB GMBH & CO.
OHG (DE/DE)
Reisholzer Werftstrasse 38-40
D-40589 Düsseldorf (DE)

Inventors: Michael Dehmer
Breslauer Strasse 3a
D-41539 Dormagen (DE)

Chris Schleinig
Altenbrückstrasse 91
D-40599 Düsseldorf (DE)

Thomas Merz
Erikaweg 3a
D-40723 Hilden (DE)

Frank Everts
Gellsche Strasse 68
D-41472 Neuss (DE)

Attorney:

Manfred Wacker
Henkel KGaA
Patente (TTP)
D-40191 Düsseldorf (DE)

Designated States:

PL, European Patent (AT, BE, CH,
DE, DK, ES, FI, FR, GB, GR, IE, IT,
LU, MC, NL, PT, SE).

Published

With international search report.

Will be republished if changes to the claims are submitted before the end of the period
permitted for such changes.

Abstract

The invention relates to powder, pasty or liquid washing or laundering post-treatment agents containing cyclodextrin, cyclodextrin derivatives or additives and substances forming cyclodextrin or cyclodextrin derivatives or their mixtures in the rinsing liquid. The residue residues on textile surfaces can be efficiently reduced by using said substances.

FOR INFORMATION ONLY

Codes for the identification of PCT contract states on the cover sheets of the documents that publish the international applications in accordance with the PCT.

AL	Albania	JP	Japan	TD	Chad
AM	Armenia	KE	Kenya	TG	Togo
AT	Austria	KG	Kyrgyzstan	TJ	Tajikistan
AU	Australia	KP	Democratic People's	TM	Turkmenistan
AZ	Azerbaijan		Republic of Korea	TR	Turkey
BA	Bosnia- Herzegovina	KR	Republic of Korea	TT	Trinidad and Tobago
BB	Barbados	KZ	Kazakhstan	UA	Ukraine
BE	Belgium	LC	Saint Lucia	UG	Uganda
BF	Burkina Faso	LI	Liechtenstein	US	United States of America
BG	Bulgaria	LK	Sri Lanka	UZ	Uzbekistan
BJ	Benin	LR	Liberia	VN	Vietnam
BR	Brazil	LS	Lesotho	YU	Yugoslavia
BY	Belarus	LT	Lithuania	ZW	Zimbabwe
CA	Canada	LU	Luxembourg		
CF	Central African Republic	LV	Latvia		
CG	Congo	MC	Monaco		
CH	Switzerland	MD	Republic of Moldavia		
CI	Côte d'Ivoire	MG	Madagascar		
CM	Cameroon	MK	Macedonia (former Republic of Yugoslav)		
CN	China	ML	Mali		
CU	Cuba	MN	Mongolia		
CZ	Czech Republic	MR	Mauritania		
DE	Germany	MW	Malawi		
DK	Denmark	MX	Mexico		
EE	Estonia	NE	Niger		
ES	Spain	NL	Netherlands		
FI	Finland	NO	Norway		
FR	France	NZ	New Zealand		
GA	Gabon	PL	Poland		
GB	United Kingdom	PT	Portugal		
GE	Georgia	RO	Romania		
GH	Ghana	RU	Russian Federation		
GN	Guinea	SD	Sudan		
GR	Greece	SE	Sweden		
HU	Hungary	SG	Singapore		
IE	Ireland	SI	Slovenia		
IL	Israel	SK	Slovakia		
IS	Iceland	SN	Senegal		
IT	Italy	SZ	Swaziland		

This invention concerns a powder, paste or liquid washing or laundering post-treatment, which contains cyclodextrin, and a method for treatment of textiles.


In a washing process for washing textiles, after the wash cycle in which a conventional detergent is used, the textiles are rinsed with water in one or more rinse operations in order to remove the detergents. Here the individual detergent components are not all rinsed out to the same extent. Particular problems are presented by the nonionic surfactants, which are deposited on the textile fibers. Another problem in connection with residues of this kind lies in the formation of foam during the rinsing operations, which are particularly unpleasant in the home laundry and can lead to operating problems in a commercial laundry, especially in continuously operating washing lines.

In commercial laundries acidifying agents and/or fabric softeners or softening agents are, as a rule, added to the rinse water in at least one rinsing operation, preferably in the last rinsing operation. Fabric softeners or softening agents are also customary in the rinse cycle in household washing machines.

Acidification agents usually contain acids like phosphoric acid, acetic acid, hydrochloric acid, glycolic acid, citric acid, lactic acid or formic acid and are intended to reduce the relatively high pH produced by the alkaline detergents.

Fabric softeners or softening agents are supposed to improve the feel and appearance of textiles and to give them antistatic properties. Agents of this kind usually contain cationic surfactants, for example, quaternary ammonium compounds. These compounds are deposited on the surface of the textiles, so that the charge on the surface of the textiles is changed and the desired properties are obtained.

Conventional textile softeners or softening agents are, for example, compounds of the type of the so-called ester quats. These compounds are industrially quaternized di-fatty acid-trialkanolamine ester salts, which are usually obtained by the reaction of trialkanolamines like triethanolamine or tripropanolamine with fatty acids or fatty acid esters and subsequent reaction of the di-fatty acid esters that have formed with methyl chloride or dimethyl sulfate. They correspond to formula I



in which R^2CO stands for an aliphatic acyl residue with 12 to 22 carbon atoms and 0, 1, 2 or 3 double bonds, n stands for 2 or 3 and X stands for halide, methosulfate or methophosphate.

These compounds are widely used as softening agents. Thus, liquid detergents are described in International Patent Application No. WO 94/06899, which contain as fabric softeners quaternary ammonium compounds of formula I, alkyl glycosides and other surfactants. These agents can contain from 10 to 50 wt%, with respect to the detergent, of a mixture of quaternary compounds of formula I and alkyl glycosides. The said quaternary ammonium compounds by their nature tend to hydrolyze at the acyl residue in an aqueous medium. According to European Patent Application No. EP-A-239,910 cationic softeners of the type of ester quats that are in a 0.5 to 1.5% solution show optimum hydrolysis stability in an aqueous medium at a pH value between 2.5 and 4.2. Above and below this range the aqueous active agent dispersions become increasingly unstable due to hydrolytic decomposition.

One strives to keep the amount of detergent residues on the textiles as low as possible. Surfactants like anionic and nonionic surfactants can be found on textile surfaces as residues of this kind. However, especially the nonionic surfactants tend to form significant amounts of foam even in very small amounts. For this reason one strives to minimize the residual content of nonionic surfactants and, as far as possible, not to exceed residual content of 200 ppm with respect to the amount of laundry.

This invention was based on the task of making available a washing or laundry post-treatment agent that makes a clear reduction of the residual surfactant content on textiles, in particular the content of nonionic surfactants, where a limiting value of 200 ppm with respect to the amount of laundry is not supposed to be exceeded.

Accordingly, an object of the invention is a powder, paste or liquid laundry or detergent post-treatment agent, which is characterized by the fact that it contains as additive cyclodextrin, cyclodextrin derivatives or substances that form cyclodextrin or cyclodextrin derivatives in the wash water or mixtures of these.

Surprisingly it was found that through the use of the agent in accordance with the invention the content of surfactant residues, especially nonionic surfactants, on textiles can be clearly reduced.

The use of cyclodextrins in the field of detergents and cleaning agents is already known from the prior art. A cleaning agent that contains at least one cyclodextrin or cyclodextrin derivative as active cleaning component is described in International Patent Application No. WO 94/10280. The described agent is used in particular to remove oils, fats, aliphatic and aromatic hydrocarbons, acids, esters and ethers from surfaces of any kind.

A method for producing solid particles of water-sensitive materials, where particulate complexes of cyclodextrins and fragrances are provided with a protective coating, is described in International Patent Application No. WO 93/05136.

Cyclodextrins, also called cycloglucans, are formed in the degradation of starch by *Bacillus macerans* or *B. circulans* under the effect of cyclodextrin glycosyl transferase. The cyclodextrins as a rule consist of 6, 7 or 8 α -1,4-linked glucose units. The use of cyclodextrins or their derivatives as active cleaning components is described, for example, in International Patent Application No. WO 94/10280. Surprisingly, it was now established that when cyclodextrins or their derivatives or substances that form these compounds in situ in the rinse liquid are added, the deposition of nonionic surfactants on the textile surface can be inhibited.

The agent in accordance with the invention can contain any cyclodextrin monomers, for example, α -, β - or γ -cyclodextrins. Likewise suitable are all cyclodextrin derivatives such as, for example, cyclodextrin carbonates, ethers or polyethers, or cyclodextrin derivatives in which one or more of the hydroxy groups are substituted by functional residues. Such functional residues include, for example, C_{1-4} alkyl, especially methyl or ethyl, hydroxyethyl, hydroxypropyl or acetyl groups. Especially suitable are residues through which the water solubility of the cyclodextrin is increased. Also, any mixtures of cyclodextrin and more and/or [sic] cyclodextrin derivatives can be used.

As substances that form cyclodextrin or cyclodextrin derivatives in situ in the rinse liquid one may mention those substances that form cyclodextrins in the presence of cyclodextrin glycosyl transferase. A combination of cyclodextrin glycosyl transferase and amylase has proven to be particularly advantageous, since amylase is a cheap and ecologically harmless substance.

The cyclodextrins can be contained in the agents in accordance with the invention in an amount of 0.5 wt% to 10 wt%, in particular 0.5 to 5 wt%, with respect to the agent. The agents in accordance with the invention are dispensed into the wash or rinse liquid preferably so that the cyclodextrins, cyclodextrin derivatives or substances that form these compounds are added in an amount of 0.1 to 5 wt%, preferably 1 to 2 wt%, with respect to the amount of textiles to be rinsed. The substances can be added at any point in time in the washing or rinsing process, for example, at the start or during the process. In commercial washing processes the agent in accordance with the invention is preferably added at the beginning of the last rinse bath.


If the agent in accordance with the invention is in liquid form, it preferably contains water as primary solvent, which can be contained in amounts between 40 and 90 wt%, preferably between 60 and 90 wt%.

As a rule, the pH of a liquid agent in accordance with the invention lies between 1 and 13, in particular between 1 and 7.5 with laundry post-treatment agents in accordance with the invention, preferably above 4.5 and especially preferably between 5.5 and 6.5. Under conditions of use the pH of agents in accordance with the invention approximately corresponds to this. If an agent in accordance with the invention is used as detergent, the pH as a rule will be in the

alkaline range, while when it is used as a laundry post-treatment agent a pH in the acid to neutral range is preferred. To establish a low pH, the acids that are usual in this field, such as phosphoric acid, hydrochloric acid, glycolic acid, citric acid, lactic acid and formic acid and mixtures of these, can be used. The amount of acids is usually set by the desired pH value of the agent or the application purpose.

As softening agents the agents in accordance with the invention can contain the usual substances that are known from this field, preferably in amounts between 0.5 and 15 wt%, [most] preferably between 1.5 and 5.5 wt%, with respect to the prepared agent.

Preferred are softening agents with the formula I



in which R^2CO stands for an aliphatic acyl residue with 12 to 22 carbon atoms and 0, 1, 2 or 3 double bonds, n stands for 2 or 3 and X stands for halide, methosulfate or methophosphate.

Typical examples of the acyl residue R^2CO derive from fatty acids like caproic acid, caprylic acid, capric acid, lauric acid, myristic acid, petroselic acid, linoleic acid, linolenic acid, arachic acid, gadoleic acid, behenic acid and erusic acid, as well as their industrial mixtures. Preferred are ester quats based on stearic or hardened tallow fatty acid in the form of their chlorides or methosulfates.

In addition, the agents in accordance with the invention can contain still other conventional components and additives that are usually contained in washing or laundry post-treatment agents. Examples of these are builders, enzymes, inorganic salts like carbonates, hydrogen carbonates, sulfates and silicates, softening agents, dyes and fragrances, pearlescent agents, solvents such as ethanol propylene glycol or glycol ether, soil repellents, thickeners and/or optical brighteners.

The solid components mentioned above such as builders and inorganic salts are contained in particular in an agent in accordance with the invention when it is in particulate form.

If the agent in accordance with the invention is in paste form, as a rule it contains builders and inorganic salts as well as thickeners, besides water and solvents.

Particularly suitable as builders are the known zeolites, crystalline layer silicates and salts of polycarboxylic acids such as citrates and/or (co)polymeric polycarboxylates.

Possibilities as enzymes are ones from the class of proteases, lipases or lipolytic enzymes, amylases, cellulases or their mixtures. Particularly well suited are enzymatic active agents obtained from bacterial strains or fungi such as *Bacillus subtilis*, *Bacillus licheniformis*, *Streptomyces griseus* and *Humicola insolens*. Proteases of subtilisin type and in particular proteases that are obtained from *Bacillus lentus* are preferably used.

The agents in accordance with the invention can be added directly to the rinse liquid during the wash cycle or in a rinse operation after washing, preferably in the last rinse operation.

Another object of this invention is the use of cyclodextrin, cyclodextrin derivatives or substances that form cyclodextrin or cyclodextrin derivatives in the rinse liquid or mixtures of these to improve the solubility of nonionic surfactants, in particular to avoid the deposition of nonionic surfactants on the textile being treated with a detergent containing these substances. The substances described above are added during the wash cycle as an additive or in a rinse operation after washing. They are appropriate both in washing or laundry post-treatment agents for use in the home as well as for commercial laundries.

Still another object of this invention is a method for treating textiles, which is characterized by the fact that during the wash cycle or in a rinsing step after washing cyclodextrin, cyclodextrin derivatives or substances that form cyclodextrin or cyclodextrin derivatives or mixtures of these are added to the wash liquid or rinse liquid during the wash cycle or in a rinse step after washing.

Examples

A commercial washing machine (E-Lux, FLE 120 MP) was loaded with 8.5 kg bulk laundry. Cotton beaver (Hohenstein test fabric) was used as test fabric. The laundry was washed for 10 min at 70°C with Pur Compactat® (commercial product of the applicant) as detergent in a concentration of 10 g detergent per kilogram of laundry. The bath ratio (weight ratio of laundry to water) was 1:5. Then the laundry was rinsed two times with cold soft water and one time with cold hard water (laundry:water = 1:7), 3 min each time. Cyclodextrin was added to the last rinse operation in a concentration of 3 g/L.

The residual surfactant content remaining on the laundry was 134 ppm.

In a comparison test cyclodextrin was not added to the rinse operation. The residual surfactant content was 209 ppm.

The reduction of the residual surfactant content in the example in accordance with the invention was 36% compared to the comparison test. It becomes clear from the examples that the addition of cyclodextrin to the last rinse operation brings about a clear reduction of the residual surfactant on the textiles.

Claims


1. A powder, paste or liquid washing or laundry post-treatment agent, which is characterized by the fact that cyclodextrin, cyclodextrin derivatives, substances that form cyclodextrin or cyclodextrin derivatives in the rinse liquid or mixtures of these are contained as additive.

2. An agent as in Claim 1, which is characterized by the fact that α -, β - and/or γ -cyclodextrins or cyclodextrin derivatives are used.

3. An agent as in Claim 1 or 2, which is characterized by the fact that cyclodextrin, cyclodextrin derivatives or substances that form cyclodextrin or cyclodextrin derivatives in the rinse liquid or mixtures of these are added in an amount of 0.1 to 5 wt% with respect to the weight of the textiles to be cleaned or rinsed.

4. An agent as one of Claims 1 to 3, which is characterized by the fact that it has a pH value between 1 and 13.

5. An agent as in one of Claims 1 to 4, which is characterized by the fact that quaternary ammonium compounds of formula I



in which R^2CO stands for an aliphatic acyl residue with 12 to 22 carbon atoms and 0, 1, 2 or 3 double bonds, n stands for 2 or 3 and X stands for halide, methosulfate or methophosphate is contained as softening agent.

6. An agent as in one of Claims 1 to 5, which is characterized by the fact that the compounds of formula I are contained in an amount of 0.5 wt% to 15 wt%, preferably 1.5 wt% to 5.5 wt%.

7. An agent as in one of Claims 1 to 5, which is characterized by the fact that the agent contains other components that are conventional in washing or laundry post-treatment agents such as builders, enzymes, inorganic salts, acids, pearlescence agents, solvents, dyes and fragrances and/or optical brighteners.

8. The use of the agent as in one of Claims 1 to 7 as a laundry post-treatment agent in the home and/or in commercial laundries.

9. The use of cyclodextrin, cyclodextrin derivatives or substances that form cyclodextrin or cyclodextrin derivatives in the rinse liquid or mixtures of these to improve the solubility of

nonionic surfactants, in particular to avoid the deposition of nonionic surfactants on the textile treatment with a detergent containing these substances.

10. A method for treating textiles, which is characterized by the fact that cyclodextrin, cyclodextrin derivatives or substances that form cyclodextrin or cyclodextrin derivatives in the rinse liquid or mixtures of these are added to the rinse liquid during the wash cycle or in a rinsing step after washing.

INTERNATIONAL SEARCH REPORT

<p>Inventor's Application No PCT/EP 97/05092</p>	
<p>A. CLASSIFICATION OF SUBJECT MATTER IPC 6 C1103/22 C1101/52</p>	
<p>According to International Patent Classification (IPC) or to both national classification and IPC</p>	
<p>B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 6 C110</p>	
<p>Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched</p>	
<p>Electronic data bases consulted during the international search (name of data base and, where practical, search terms used)</p>	
<p>C. DOCUMENTS CONSIDERED TO BE RELEVANT</p>	
Category	Reason of document, with indication, where appropriate, of the relevant passages
X	<p>DATABASE WPI Section Ch, Week 8833 Derwent Publications Ltd., London, GB; Class D25, AN 88-231738 XP002055460 & JP 63 165 498 A (LION CORP), 8 July 1988 see abstract</p>
A	
X	<p>DATABASE WPI Section Ch, Week 9616 Derwent Publications Ltd., London, GB; Class D25, AN 96-157617 XP002055461 & JP 08 041 780 A (NIKKA KAGAKU KK), 13 February 1996 see abstract</p>
<p><input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.</p>	
<p>* Special categories of cited documents:</p>	
<p>"A" document defining the general state of the art which is not considered to be of particular relevance "B" earlier document but published on or after the international filing date "C" document which may involve doubts on priority claim(s) of which is cited to establish the publication date of another claim or other special reason (as specified) "D" documents relating to an oral disclosure, use, exhibition or other means "E" documents published prior to the international filing date but later than the priority date claimed</p>	<p>"F" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or study underlying the invention "G" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "H" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "I" document member of the same patent family</p>
<p>Date of the actual completion of the international search 12 February 1998</p>	<p>Date of mailing of the international search report 02/03/1998</p>
<p>Name and mailing address of the ISA European Patent Office, P.O. Box 5016 Patentpark 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Telex 651 vpo nl Fax: (+31-70) 340-3016</p>	<p>Authorized officer Grittern, A</p>

Form PCT/ISA/210 second ed. 1 July 1993

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 97/05092

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0301047 A	01-02-89	JP 1126400 A	18-05-89
WO 9406899 A	11-03-94	EP 0659207 A	28-06-95
		JP 8501579 T	20-02-96
		US 5627144 A	06-05-97

Form PCT/ISA/210 (patent family members) (July 1993)

TOTAL P 015